

Getting Started

Getting Started with butt - broadcast using this tool

Install *butt* - broadcast using this tool

For this guide we'll be using butt. You can download butt from their [website](#).


Configure *butt*

1. Launch butt
2. Click "Settings" to open the settings dialog



3. Under the "Server" section, click the "Add" button.

Getting Started



4. Set the server type to Icecast and enter your server details. Enter your first "Server Port" into the "Port" box. For example, if your "Server Ports" section says "7000, 7001 (SSL)", you would enter 7000 as your port. When you're done, press "Add".

Getting Started

Add Server

Name:
VosCast Stream

Type

ShoutCast

IceCast

SSL/TLS

Use SSL/TLS

Revoke certificate trust

Address: s1.vocast.com Port: 7000


Password: Show

IceCast mountpoint: stream IceCast user: source

Cancel ADD

5. Under the "Stream Infos" section, click the "Add" button.

Getting Started



6. Enter your station name and details. When you're done, press "Add".

Getting Started

Add Server Infos

Name:

Description: Genre:


URL: ICQ:

IRC: AIM:

Make server public

7. Go to the "Audio" tab, select the audio device you want to stream, and set your bitrate. For most people, the default device is the device you should select.

Getting Started



8. Go to the "Stream" tab and choose how you want titles set. The option you choose will depend on what you're broadcasting, so choose the best option for your needs.

Getting Started

butt settings

Main Audio **Stream** Record TLS DSP GUI Donate

Update song name from file



Activate Read last line instead of first

Update song name from application

iTunes/Music 

Activate

Update song name manually



Streaming

Start streaming after launch

Start if signal is present for seconds

Stop if signal is absence for seconds

9. Click the play button to begin broadcasting.

Getting Started



Unique solution ID: #1017

Author: Bryan

Last update: 2020-07-21 17:02