Getting Started Getting Started with butt - broadcast using this tool Install butt - broadcast using this tool

For this guide we'll be using butt. You can download butt from their <u>website</u>.

Configure butt

- 1. Launch butt
- 2. Click "Settings" to open the settings dialog

22:15: Starting butt 0.1.22 Written by Daniel Nöthen iOS client: https://izicast.de Donate: paypal@danielnoethen.de Reading config /Users/joseph/.buttrc	butt 0.1.22	
Settings -24dB 22:15: Starting butt 0.1.22 Written by Daniel Nöthen iOS client: https://izicast.de Donate: paypal@danielnoethen.de Reading config /Users/joseph/.buttrc	idle	•
22:15: Starting butt 0.1.22 Written by Daniel Nöthen iOS client: https://izicast.de Donate: paypal@danielnoethen.de Reading config /Users/joseph/.buttrc	-24dB	Less ▲ +24dB
	22:15: Starting butt 0.1.22 Written by Daniel Nöthen iOS client: https://izicast.de Donate: paypal@danielnoethen.de Reading config /Users/joseph/.buttrc	

3. Under the "Server" section, click the "Add" button.

•			butt set	tings			
Main	Audio	Stream	Record	TLS	DSP	GUI D	onate
	Server S	ettings					
	Server					_	_
	ADD	-	EDI	Т		DE	
	Stream	Infos					
							•
	ADD		EDI	Т		DE	L
L	.og File						
						Ø	7
(Configura	ation					
	Import		Sav	/e		Export.	
[Check f	or update	es				

4. Set the server type to Icecast and enter your server details. Enter your first "Server Port" into the "Port" box. For example, if your "Server Ports" section says "7000, 7001 (SSL)", you would enter 7000 as your port. When you're done, press "Add".

	Add Server	
Name VosC	e: Cast Stream	
Type O ShoutCast IceCast	SSL/TLS Use SSL/TLS Revoke certifica	ate trust
Address:		Port:
s1.voscast.com		7000
Password:		
•••••		Show
IceCast mountpo	int: IceCast us	er:
stream	source	
Cancel		ADD

5. Under the "Stream Infos" section, click the "Add" button.

Getting Started								
	butt settings							
Main	Audio	Stream	Record	TLS	DSP	GUI	Donate	
S	Server S	ettings						
Γ	Server							
	VosCa	st Stream	I				•	
	ADD		EDI	Т			DEL	
	Stream	Infos					-	
	ADD	-	EDI	Т			DEL	
Ļ	.og File							
(Configuration							
	Import	t	Sav	'e		Expo	ort	
	Check f	or update	es					

6. Enter your station name and details. When you're done, press "Add".

Getting Starte	ed
Add Server In	nfos
Name: Station Name	
Description: The best station	Genre: Jazz
URL:	ICQ:
https://voscast.com	
IRC:	AIM:
Make server public	
Cancel	ADD

7. Go to the "Audio" tab, select the audio device you want to stream, and set your bitrate. For most people, the default device is the device you should select.

	butt setti	ngs
Main Audio	Stream Record	TLS DSP GUI Donate
Main Au Audio I Defau	dio Settings Device It PCM device (defau	IIt)
Channe Stereo	el >	Samplerate 44100Hz
Streamin	າg	Ditrata
MP3	•	128k
Recordir	ıg	
Codec MP3	-	Bitrate 192k

8. Go to the "Stream" tab and choose how you want titles set. The option you choose will depend on what you're broadcasting, so choose the best option for your needs.

butt settings
Main Audio Stream Record TLS DSP GUI Donate
Update song name from file
Activate Dead last line instead of first
Update song name from application
[iTunes/Music
C Activate
Update song name manually
OK
Streaming
Start streaming after launch
Start if signal is present for 0 seconds
Stop if signal is absence for 0 seconds

9. Click the play button to begin broadcasting.

• • • butt 0.1.22	
idle	
-24dB	Settings
22:15: Starting butt 0.1.22 Written by Daniel Nöthen iOS client: https://izicast.de Donate: paypal@danielnoethen.de Reading config /Users/joseph/.buttrc	

Unique solution ID: #1017 Author: Bryan Last update: 2020-07-21 17:02